Author Index

Aebersold, R.
—— and Morrison, H. D.
Analysis of dilute peptide samples by capillary zone electrophoresis 79
Alexander, L. R., see Terabe, S. 23
Andersson, L. I.
——, Miyabayashi, A., O'Shannessy, D. J. and Mosbach, K.
Enantiomeric resolution of amino acid derivatives on molecularly imprinted polymers as monitored by potentiometric measurements 323
—— and Mosbach, K.
Enantiomeric resolution on molecularly imprinted polymers prepared with only non-covalent and non-ionic interactions 313
Barinaga, C. J., see Smith, R. D. 157
Barnhart, E. R., see Terabe, S. 23
Bartholdi, C. S., see Gatrone, R. C. 395
Bartsch, G., see Oefner, P. 251
Belew, M.
—— and Porath, J.
Immobilized metal ion affinity chromatography. Effect of solute structure, ligand density and salt concentration on the retention of peptides 333
Bjørn, S. E., see Vinther, A. 175
Blanc, T., see Tran, A. D. 241
Boček, P., see Foret, F. 219
Böttcher, A., see Josić, D. 89
Bonn, G., see Oefner, P. 251
Brorson, T., see Dalene, M. 405
Cacia, J., see Wu, S.-L. 115
Chase, H. A., see Horstmann, B. J. 433
Chong, N. C., see Ong, C. P. 263
Cohen, A. S., see Heiger, D. N. 33
——, Najarian, D. R. and Karger, B. L.
Separation and analysis of DNA sequence reaction products by capillary gel electrophoresis 49
Dalene, M.
——, Skarping, G. and Brorson, T.
Chromatographic determination of amines in biological fluids with special reference to the biological monitoring of isocyanates and amines. IV. Determination of 1,6-hexamethylenediamine in human urine using capillary gas chromatography and selective ion monitoring 405
De Mol, J., see Wauters, D. 375
De Temmerman, L., see Wauters, D. 375
Deterding, L. J., see Moseley, M. A. 167
Deyl, Z.
——, Miksik, I. and Struzinsky, R.
Separation and partial characterization of Maillard reaction products by capillary zone electrophoresis 287
Dovichi, N. J., see Swerdlow, H. 61
Dzido, T. H.
—— and Soczewiński, E.
Modification of a horizontal sandwich chamber for thin-layer chromatography 461
Edmonds, C. G., see Smith, R. D. 157
Eguchi, S.
——, Kloosterboer, J. G., Zegers, C. P. G., Schoenmakers, P. J., Tock, P. P. H., Kraak, J. C. and Poppe, H.
Fabrication of columns for open-tubular liquid chromatography using photopolymerization of acrylates 301
Fanali, S., see Foret, F. 219
Faupel, M., see Wenisch, E. 133
Fielden, P. R.
—— and Packham, A. J.
Retention of benzo[*a*]pyrene on cyclodextrin-bonded phases 355
Foret, F.
——, Fanali, S. and Boček, P.
Applicability of dynamic change of pH in the capillary zone electrophoresis of proteins 219
Gatrone, R. C.
——, Rickert, P. G., Horwitz, E. P., Smith, B. F., Bartholdi, C. S. and Martinez, A. M.
Analysis of *n*-octyl(phenyl)-N,N-diisobutylcarbamoylmethylphosphine oxide and TRUEX process solvent by gas and liquid chromatography 395
Gobie, W. A.
—— and Ivory, C. F.
Thermal model of capillary electrophoresis and a method for counteracting thermal band broadening 191
Greef, J. van der, see Reinhoud, N. J. 147
Gyllenhaal, O.
—— and Vessman, J.
Capillary supercritical fluid chromatography of aliphatic amines. Studies on the selectivity and symmetry with three different columns using carbon dioxide or nitrous oxide as mobile phase 415
Häfele, R., see Oefner, P. 251
Hancock, W.S., see Wu, S.-L. 115
Hansen, D., see Zhu, M. 123

Harke, H., see Swerdlow, H. 61
Heiger, D. N.
——, Cohen, A. S. and Karger, B. L.
Separation of DNA restriction fragments by high performance capillary electrophoresis with low and zero crosslinked polyacrylamide using continuous and pulsed electric fields 33
Hopkins, W. A.
—— and Lauren, D. R.
Analysis of the pesticide flufenoxuron in apples and kiwifruit by high-performance liquid chromatography 442
Horstmann, B. J.
——, Chase, H. A. and Kenney, C. N.
Purification of anti-paraquat monoclonal antibodies by affinity chromatography on immobilised hapten 433
Horwitz, E. P., see Gatrone, R. C. 395
Hosoya, K., see Terabe, S. 23
Huang, X.
—— and Ohms, J. I.
Non-uniform electrical field effect caused by different concentrations of electrolyte in capillary zone electrophoresis 233
—— and Zare, R. N.
Continuous sample collection in capillary zone electrophoresis by coupling the outlet of a capillary to a moving surface 185
Ivory, C. F., see Gobie, W. A. 191
Janoš, P.
Determination of trimetaphosphate in pyrophosphate by capillary isotachophoresis 473
Jorgenson, J. W., see Moseley, M. A. 167
Josić, D.
——, Zeilinger, K., Reutter, W., Böttcher, A. and Schmitz, G.
High-performance capillary electrophoresis of hydrophobic membrane proteins 89
Jungbauer, A., see Wenisch, E. 133
Karger, B. L., see Cohen, A. S. 49
——, see Heiger, D. N. 33
——, see Terabe, S. 23
Katinger, H., see Wenisch, E. 133
Kawasaki, H.
——, Maeda, N. and Yuki, H.
Chemiluminescence detection of free fatty acids by high-performance liquid chromatography with immobilized enzymes 450
Kenney, C. N., see Horstmann, B. J. 433
Kloosterboer, J. G., see Eguchi, S. 301
Kotyński, A.
——, Kudzin, Z. H. and Skowroński, R.
Trifluoroacetic anhydride–sodium iodide as a reagent for the selective detection of nitroso compounds by thin-layer chromatography 467
Kraak, J. C., see Eguchi, S. 301
Kudzin, Z. H., see Kotyński, A. 467
Lauren, D. R., see Hopkins, W. A. 442
Lee, H. K., see Ong, C. P. 263
Leopold, E. J., see Tran, A. D. 241
Li, S. F. Y., see Ong, C. P. 263
Loo, J. A., see Smith, R. D. 157
McNair, H. M., see Rasmussen, H. T. 223
Maeda, N., see Kawasaki, H. 450
Martinez, A. M., see Gatrone, R. C. 395
Miksik, I., see Deyl, Z. 287
Miyabayashi, A., see Andersson, L. I. 323
Miyashita, Y., see Terabe, S. 23
Mol, J. de, see Wauters, D. 375
Moring, S., see Weinberger, R. 271
Morrison, H. D., see Aebersold, R. 79
Mortimer, R. D.
Rapid method for esterification of trace levels of carboxylic acids for analysis by gas chromatography–electron-capture detection 427
Mosbach, K., see Andersson, L. I. 313, 323
Moseley, M. A.
——, Deterding, L. J., Tomer, K. B. and Jorgenson, J. W.
Capillary zone electrophoresis–mass spectrometry using a coaxial continuous-flow fast atom bombardment interface 167
Motellier, S.
—— and Wainer, I. W.
Direct stereochemical resolution of aspartame stereoisomers and their degradation products by high-performance liquid chromatography on a chiral crown ether based stationary phase 365
Najarian, D. R., see Cohen, A. S. 49
Ng, C. L., see Ong, C. P. 263
Nielsen, R. G.
—— and Rickard, E. C.
Method optimization in capillary zone electrophoretic analysis of hGH tryptic digest fragments 99
Niessen, W. M. A., see Reinhoud, N. J. 147
Noever De Brauw, M. C. ten, see Reinhoud, N. J. 147
Oefner, P.
——, Häfele, R., Bartsch, G. and Bonn, G.
Isotachophoretic separation of organic acids in biological fluids 251
Ohms, J. I., see Huang, X. 233

Ong, C. P.
——, Ng, C. L., Chong, N. C., Lee, H. K. and Li, S. F. Y.
Retention of eleven priority phenols using micellar electrokinetic chromatography 263
O'Shannessy, D. J., see Andersson, L. I. 323
Packham, A. J., see Fielden, P. R. 355
Patterson, D. G., see Terabe, S. 23
Poppe, H., see Eguchi, S. 301
Porath, J., see Belew, M. 333
Rasmussen, H. T.
—— and McNair, H. M.
Influence of buffer concentration, capillary internal diameter and forced convection on resolution in capillary zone electrophoresis 223
Regnier, F. E., see Towns, J. K. 69
Reinhoud, N. J.
——, Schröder, E., Tjaden, U. R., Niessen, W. M. A., Ten Noever De Brauw, M. C. and Van der Greef, J.
Static and scanning array detection in capillary electrophoresis–mass spectrometry 147
Reutter, W., see Josić, D. 89
Rickard, E. C., see Nielsen, R. G. 99
Rickert, P. G., see Gatrone, R. C. 395
Righetti, P. G.
Recent developments in electrophoretic methods (Review) 3
——, see Wenisch, E. 133
Rodriguez, R., see Zhu, M. 123
Sapp, E., see Weinberger, R. 271
Schmitz, G., see Josić, D. 89
Schoenmakers, P. J., see Eguchi, S. 301
Schröder, E., see Reinhoud, N. J. 147
Schwedt, G., see Yan, D. 383
Shibata, O., see Terabe, S. 23
Sigalov, A.
Reversed-phase high-performance liquid chromatographic study of the formation of complexes of nucleotides and oligonucleotides with Lu(III) 456
Skarping, G., see Dalene, M. 405
Skowroński, R., Kotyński, A. 467
Smith, B. F., see Gatrone, R. C. 395
Smith, R. D.
——, Loo, J. A., Edmonds, C. G., Barinaga, C. J. and Udseth, H. R.
Sensitivity considerations for large molecule detection by capillary electrophoresis–electrospray ionization mass spectrometry 157
Soczewiński, E., see Dzido, T. H. 461
Søeberg, H., see Vinther, A. 175
Sørensen, H. H., see Vinther, A. 175
Struzinsky, R., see Deyl, Z. 287
Swerdlow, H.
——, Wu, S., Harke, H. and Dovichi, N. J.
Capillary gel electrophoresis for DNA sequencing. Laser-induced fluorescence detection with the sheath flow cuvette 61
Tanaka, N., see Terabe, S. 23
Tauer, C., see Wenisch, E. 133
Temmerman, L. de, see Wauters, D. 375
Ten Noever De Brauw, M. C., see Reinhoud, N. J. 147
Terabe, S.
——, Miyashita, Y., Shibata, O., Barnhart, E. R., Alexander, L. R., Patterson, D. G., Karger, B. L., Hosoya, K. and Tanaka, N.
Separation of highly hydrophobic compounds by cyclodextrin-modified micellar electrokinetic chromatography 23
Teshima, G., see Wu, S.-L. 115
Thormann, W.
Isotachophoresis in open-tubular fused-silica capillaries. Impact of electroosmosis on zone formation and displacement 211
Tjaden, U. R., see Reinhoud, N. J. 147
Tock, P. P. H., see Eguchi, S. 301
Tomer, K. B., see Moseley, M. A. 167
Towns, J. K.
—— and Regnier, F. E.
Polyethyleneimine-bonded phases in the separation of proteins by capillary electrophoresis 69
Tran, A. D.
——, Blanc, T. and Leopold, E. J.
Free solution capillary electrophoresis and micellar electrokinetic resolution of amino acid enantiomers and peptide isomers with L- and D-Marfey's reagents 241
Udseth, H. R., see Smith, R. D. 157
Van der Greef, J., see Reinhoud, N. J. 147
Vessman, J., see Gyllenhaal, O. 415
Vinther, A.
——, Bjørn, S. E., Sørensen, H. H. and Søeberg, H.
Identification of aprotinin degradation products by the use of high-performance capillary electrophoresis, high-pressure liquid chromatography and mass spectrometry 175
Wainer, I. W., see Motellier, S. 365
Wan, H.
Small-scale method for the determination of organophosphorus insecticides in tea using sulphuric acid as clean-up reagent 446
Wauters, D.
——, Mol, J. de and Temmerman, L. de
Simultaneous liquid chromatographic determination of methionine hydroxy analogue and DL-methionine in feed formulations 375
Wher, T., see Zhu, M. 123

Weinberger, R.
——, Sapp, E. and Moring, S.
Capillary electrophoresis of urinary porphyrins with absorbance and fluorescence detection 271
Wenisch, E.
——, Tauer, C., Jungbauer, A., Katinger, H., Faupel, M. and Righetti, P. G.
Capillary zone electrophoresis for monitoring r-DNA protein purification in multi-compartment electrolysers with immobiline membranes 133
Wu, S., see Swerdlow, H. 61
Wu, S.-L.
——, Teshima, G., Cacia, J. and Hancock, W. S.
Use of high-performance capillary electrophoresis to monitor charge heterogeneity in recombinant-DNA derived proteins 155
Yan, D.
—— and Schwedt, G.
Simultaneous ion chromatography of inorganic anions together with some organic anions and alkaline earth metal cations using chelating agents as eluents 383
Yuki, H., see Kawasaki, H. 450
Zare, R. N., see Huang, X. 185
Zegers, C. P. G., see Eguchi, S. 301
Zeilinger, K., see Josić, D. 89
Zhu, M.
——, Rodriguez, R., Hansen, D. and Wehr, T.
Capillary electrophoresis of proteins under alkaline conditions 123